

WURLITZER 1000 / 850 / 700



Universal Vending Machines

Wurlitzer 1000, Wurlitzer 850 and Wurlitzer 700



WURLITZER 1000 (with SmartWaiter elevator system)

DIMENSIONS

width 102.0 x height 183.0 x depth 86.3cm
40.16 x 72.05 x 33.98inch

WEIGHT

→ with cooling unit 370kg/814lbs
→ without cooling unit 335kg/737lbs

POWER SUPPLY

→ 230volts
→ Extra-low voltage supply for internal functions
→ Illumination LED 26watts

POWER CONSUMPTION

→ without cooling unit 50 W
→ with food cooling unit 550 W
→ with snack cooling unit 250 W

The adjustable food cooling unit may be set to temperatures suitable for snacks or also for food. Either temperature or even both in one machine (VarioTemp) may be achieved with the same cooling unit. All models are also available without cooling unit for vending of non-food products.

COOLING SYSTEM / FOOD COOLING UNIT

→ 500watts food cooling unit with VarioTemp
→ Sealed system with R 134a refrigerant (free of CFCs)
→ Adjustable temperature range approx. 3°C/37.4°F with max. ambient temperature of 32°C/89.6°F
→ Time controlled power saving mode
→ Health switch

COOLING SYSTEM / SNACK COOLING UNIT

→ 200watts snack cooling unit
→ Sealed system with R 134a refrigerant (free of CFCs)
→ Adjustable temperature range approx. 12°C/53.6°F with max. ambient temperature of 32°C/89.6°F



WURLITZER 850 (with can/bottle module)

DIMENSIONS

width 86.8 x height 183.0 x depth 86.3cm
34.17 x 72.05 x 33.98inch

WEIGHT

→ with cooling unit 340kg/748lbs
→ without cooling unit 305kg/671lbs



WURLITZER 700

DIMENSIONS

width 71.6 x height 183.0 x depth 86.3 cm

28.19 x 72.05 x 33.98inch

WEIGHT

→ with cooling unit 310kg/682lbs
→ without cooling unit 275kg/605lbs

FEATURES

- Programmable microprocessor control unit (IVC2) with data storage, test- and service programs
- Payment systems according to MDB standard, Executive and BDV optional
- Two line alphanumeric display
- Large double glazed window
- Power saving internal LED illumination
- Time controlled, disengageable LED illumination
- Slide-out assembly with control unit and payment systems for easy maintenance
- Metal keyboard
- Motor driven coin return
- Modular coin insertion conforms to disabled height regulations
- Central lock with quintuple interlocking. Robust locking mechanism with lever
- Panel, delivery flap, trays and spirals made of stainless steel
- Reinforced trays with 45kg/99lbs carrying capacity
- Deep delivery box for large products. Easy removal of the complete unit
- Standard colour RAL 9006 (white aluminium)
- Slide-in cooling units
- Internal thermometer with visible digital temperature display
- Age verification programmable for each separate selection, menu selection and discount price setting

EXTRAS

DESIGN

- RAL colours upon request
- Anti graffiti lacquering
- Illuminated delivery box
- Illuminated advertising top

SAFETY

- Safety glass
- Security coin insertion
- Security change cup
- Door gap cover
- Lockable cash box
- Safety lock
- Public Vending kit (anti vandalism kit)
- Outdoor kit (kit for outside locations)

OPTIONS

- SmartWaiter elevator system
- Special module for cans and PET bottles
- Vend light gate (motor stop on cash programmable)
- Winter heating
- Kit for wall and bottom fastening
- Lateral bottom panel
- Receipt and statistics printer
- Back door (BACKLOADER)
- VIDTS interface in DEX format
- Shortcut push buttons



Wurlitzer vending machine with high security features for use in special locations: in- and outside, protecting against fraud, vandalism, sun and rain



Different temperature zones operation VarioTemp



Promotion rail and clips

COMPARTMENT ACCESSORIES

- Can rail
- Rail for duomat operation to increase capacity
- Tipper bar for tall products to prevent tumbling
- High compartment wall for special products
- Compartment reduction for tall and slim products
- Spiral end pieces to provide extra push where required
- Tray insert for small products
- Pluggable compartment accessories
- Promotion rail
- Promotion clips

SPECIAL TRAYS

- Trays with wider compartments
 - Wurlitzer 1000 - 9 selections / 8 selections
 - Wurlitzer 850 - 7 selections
 - Wurlitzer 700 - 5 selections
- Reinforced trays with 80kg/176lbs carrying capacity

SPIRAL CONFIGURATION

Wurlitzer 1000 - 645

9	9	9	9	9
13	13	13	13	13
13	13	13	13	13
16	16	16	16	16
16	16	16	16	16
6	6	6	6	6
22	22	22	22	22

6 trays
45 selections
(max. 60 selections)
Capacity with standard spirals:
663 products

Wurlitzer 850 - 636

9	9	9	9
13	13	13	13
13	13	13	13
16	16	16	16
16	16	16	16
6	6	22	22
19	19	19	19

6 trays
36 selections
(max. 48 selections)
Capacity with standard spirals:
566 products

Wurlitzer 700 - 627

9	9	9
13	13	13
13	13	13
16	16	16
16	16	16
19	19	19
22	22	22

6 trays
27 selections
(max. 36 selections)
Capacity with standard spirals:
455 products

Wurlitzer 1000 - 535

9	9	9	9	9
13	13	13	13	13
13	13	13	13	13
16	16	16	16	16
16	16	16	16	16
6	6	16	16	16
22	22	22	22	22

5 trays
35 selections
(max. 50 selections)
Capacity with standard spirals:
543 products

Wurlitzer 850 - 528

9	9	9	9
13	13	13	13
13	13	13	13
16	16	16	16
16	16	16	16
6	6	22	22
19	19	19	19

5 trays
28 selections
(max. 40 selections)
Capacity with standard spirals:
438 products

Wurlitzer 700 - 521

9	9	9
13	13	13
13	13	13
16	16	16
16	16	16
19	19	19
22	22	22

5 trays
21 selections
(max. 30 selections)
Capacity with standard spirals:
359 products

Wurlitzer 1000 - 430

9	9	9	9	9
13	13	13	13	13
16	16	16	16	16
16	16	16	16	16
6	6	16	16	16
22	22	22	22	22

4 trays
30 selections
(max. 40 selections)
Capacity with standard spirals:
478 products

Wurlitzer 850 - 424

9	9	9	9
13	13	13	13
16	16	16	16
16	16	16	16
6	6	22	22
19	19	19	19

4 trays
24 selections
(max. 32 selections)
Capacity with standard spirals:
386 products

Wurlitzer 700 - 418

9	9	9
13	13	13
16	16	16
16	16	16
19	19	19
22	22	22

4 trays
18 selections
(max. 24 selections)
Capacity with standard spirals:
320 products

Capacity per spiral	4	5	6	8	9	13	16	19	22	35
Max. product depth	105mm	80mm	68mm	50mm	45mm	30mm	24mm	18.5mm	16mm	9mm
	4.1"	3.1"	2.6"	1.9"	1.7"	1.1"	0.9"	0.7"	0.6"	0.3"

Max. product width (dependent on product depth) for single compartment approx. 67mm/2.6inch, for double compartment approx. 140mm/5.5inch

WURLITZER HIGH-QUALITY MACHINE RANGE



GERMANY
Deutsche Wurlitzer GmbH
Wurlitzerstr. 6
D-32609 Hüllhorst
Tel. +49(0)5744 9410
Fax +49(0)5744 941 220
contact@deutsche-wurlitzer.de

For further information
please see
www.deutsche-wurlitzer.de